

STANDARDIZATION OF HERBAL DRUGS: NEED OF THE DAY FOR GLOBAL COMPETITION

Sharma Ajay K ^{1,3*}, Sharma Jyoti N ¹, Rajak Harish ², Joshi Rajesh K ³, Dixit Vinod K ⁴

¹ Department of Pharmacy, G.S.V.M. Medical College, Kanpur - 208 002, Uttar Pradesh, India.

² Department of Pharmacy, S. L. T. Institute of Pharmaceutical Sciences, Guru Ghasidas University, Koni, Bilaspur, *Chhattisgarh* - 495 009, India.

³ Regional Medical Research Centre (Indian Council of Medical Research), Nehru Nagar, Belgaum, Karnataka - 590 010 India.

⁴ Department of Pharmacy, Dr. H. S. Gour University, Sagar, *Madhya Pradesh* - 470 003, India.

Received on : 02.08.2013

Revised : 21.08.2013

Accepted : 22.08.2013

ABSTRACT

Complementary and Alternative Medicine (CAM)/ Traditional Medicine (TM) have grown globally. The world market for botanical medicines including drug products and raw materials has been estimated to have an annual growth rate between 5-15 percent. Total botanical global market is estimated as US\$ 62 billion and is expected to grow to the tune of US\$ 5 trillion by 2050. Since time immemorial, plants and natural products have provided solutions to many difficult questions the human race has faced. Nature has provided prescriptions for various diseases.

Chemo profiling using HPLC, HPTLC and GC has wide applicability in quality control of herbal medicine. Multi-component botanical formulations can be standardized by using these sophisticated techniques. Spectroscopic analysis has also been suggested by certain pharmacopoeias for analysis of botanicals. Scientifically validated and technologically standardized botanical medicines will play an important role in future advancement in healthcare. Development of parameters for standardization and quality control of botanicals is a challenging task. Various regulatory authorities, research organizations and botanical drug manufactures have contributed in developing guiding principles addressing issues related to their quality, safety and efficacy.

Keywords: *Complimentary medicines; Standardization; Quality control; Regulatory requirements; Marker compound; Herboprint; Herbal Drugs used Clinically*

INTRODUCTION

Practice of Complementary and Alternative Medicine (CAM)/ Traditional Medicine (TM) has grown globally. Almost half of the population of many industrialized countries regularly use some form of CAM¹. In India, the history of health care goes back to 5000 BCE, when health care needs and diseases were noted in ancient literatures like 'Rig-Veda' and 'Atharva-Veda'². Later, the texts like 'Charak Samhita' and 'Sushruta Samhita' were documented in about 1000 years BCE, where use of plants and polyherbal formulations was highlighted for health care. Evolution of Ayurveda and plant-based remedies for health care through day-to-day life experiences is a part of cultural heritage of India². Use of indigenous drugs from plant origin forms a major part of such therapies. The world market for botanical medicines including drug products and raw materials has been estimated to have an annual growth rate between 5-15 percent. Total botanical global market is estimated as US\$ 62 billion and is expected to grow to the tune of US\$ 5 trillion by 2050³. In the USA alone, use of botanicals has increased by 380 percent between 1990 and 1997. In 2001, USA spent US\$ 17.8

billion on dietary supplements, of which US\$ 4.2 billion for botanical remedies⁴. Within the European Union, botanical medicines represent an important share of US\$ 7 billion⁵.

In India, the value of medicinal plant related trade is about US\$ 10 billion per annum and this industry is growing at the rate of 7-15 per cent annually with exports of US\$ 1.1 billion per year⁶. Although, Ayurveda, the Indian system of medicine is one of the most ancient, (Fig 1) yet living traditions, faces a typical western bias⁷. Global trend leading to increased demand of medicinal plants for pharmaceuticals, phytochemicals, nutraceuticals, cosmetics and other products is an opportunity sector for Indian trade and commerce. Wide spread and growing use of botanicals has created public health challenges globally in terms of quality, safety and efficacy^{8,9}.

Since time immemorial plants and natural products have provided solutions to many difficult questions the human race has faced. Nature has provided prescriptions for various diseases. The treatments

*Correspondence : aksharma_knp@rediffmail.com Mobile No. +91 9450634518

STANDARDIZATION OF HERBAL DRUGS




Fig. 1: Number of plants used in different systems of medicines in India

developed hundreds of generations ago, passed on to the present generation known as traditional medicine (TRM). The human race is greatly indebted to the countless anonymous authors who compiled treatise of the Chinese, Ayurvedic and other systems of traditional medicine, as well as the untold scribes and knowledgeable shamans who passed on their locally valued information in a more personal manner¹⁰.

According to a WHO estimate, as high as 80% of the population in developing countries depend on traditional and herbal medicines as their primary source of health care¹. It is likely that the profound knowledge of herbal remedies in traditional cultures developed through trial and error over many centuries, and that the most important cures were carefully passed on verbally from one generation to another¹¹. Over the past decade, there has been an increased global interest in traditional systems of medicine and herbal medicinal products. In part, this surge emerged due to the rare or prohibitive access to modern medicines in developing

Sharma Ajay K, *et al.*

countries as well as the acceptance of herbal medicines by large population in affluent nations. In developed countries, non conventional medical modalities, also designated as CAM, are often used concomitantly with conventional medicine. The popularity of CAM in the USA is reflected in a survey, which showed that its use increased from 34% in 1990 to 42% in 1997 among adults. The same survey showed that American consumers spent \$27 billion on alternative treatments and an estimated \$5.1 billion on herbal medicines in 1997¹². In the same year, the global market for herbal products was estimated to be approximately \$20 billion^{13, 14}.

DRUG DISCOVERY FROM NATURAL SOURCE

A recent analysis of natural products as a source of new drugs over the period 1981–2002 shows that 67% of the 877 small molecules, new chemical entities (NCE_s) are formally synthetic, but 16.4% correspond to synthetic molecules containing a pharmacophore derived directly from natural products. Furthermore, 12% are actually modeled on a natural product inhibitor of the molecular target of interest, or mimic the endogenous substrate of the active site, such as ATP. Thus only 39% of the 877 NCE_s can be classified as truly synthetic in origin. In the area of the anti-infectives (anti-bacterial, anti-fungal, parasitic, and viral), close to 70% are naturally derived or inspired, while in the cancer treatment area 67% are in this category¹⁵. Various important herbal drugs for therapeutic activity like anti-cancer, abortifacients, antidiarrhoeal, drugs used in GIT, antihypertensive, antileptotics, diuretics, antidiabetics etc., included in ayurvedic texts, manufactured in India, are used clinically now a days by ayurvedic practitioner¹⁶ (Table 1).

Table 1: Herbal Drugs used Clinically in India¹⁶

Activity for drugs used Clinically	Plant Botanical Name (Hindi Name)	Part Used	Chemical Constituents	Dosage form with Manufacturer	Other activity Reported
Abortifacients	Sapindus trifoliatus (Ritha)	Fruit	Saponins	Menosan(Himalaya Drug Company), (Aimil Pharmaceuticals)	Antifertility, purgative, antileptic
	Daucus carota (Gajar)	Roots, seeds and fruits	Carbohydrates, carotene, hydrocarotene, pectin, malic acid, bisabolene, daucinoxide, terpenolene	Requirin(Himalaya Herbal Bioscience), (Chirayu Company), (Sage carrot facial oil (Sage Herbal), (Anoll Charak Pharma Pvt. Ltd.)	For Piles, carminative
Spinal chord stimulant	Ferula asafetida (Heeng)	Resinous exudates of the root	Volatile oil, resins, gum	Madhudoshanta(Jamuna Pharma)	Digestive problems
	Strychnos nuxvomica (Kajra)	Bark, leaves, seeds	Alkaloids-strychnine, brucine; glycosides	Pain kill oil(Jamuna Pharma), Neo (Charak)	
Tranquillizers	Celastrus paniculatus (Malakanguni)	Seeds, leaves and oil	Tannin, alkaloids, glucoside	One of the ingredients of preparation known as Abana, Geriforte, Himcolin, Mentha (Himalaya Herbs), J.P. Massaj oil, J.P. Pain kill oil (Jamuna pharma), Syrup Leamol Plus (Dalmia industries, Delhi)	Memory improving, digestive
Antidiarrhoeal Drugs	Aegle marmelos (Bel)	Fruits, leaves, rind of the ripe fruit and flower	Tannin, marmalosin, essential oil, alkaloids	One of the ingredients of preparation known as Dukhadi, a cough syrup, (Lupin herbal) for leucorrhoea; Chyawanprash (Himalaya Drug Company), (Baidyanath churna (Baidyanath Company), (Madhusantak (Jamuna Pharma), (Sage bilwa chur (Sage Herbs)	Antidiabetic, astringent
Anthelmintics	Allium sativum (Lahsun)	Bulb, oil, leaves and seeds	Starch, mucilage, scordinins, volatile oil, allylpropyl disulphide, diallyl disulphide, allicin, Vit. A, B, C	Lasuna(Himalaya Drug Company), Lashunnadi bati(Baidyanath Company)	Antihyperlipidemic, aphrodisiac, antirheumatic
	Chenopodium album (Bathua)	Leaves, seed and whole plant	Essential oil, alkaloids like trigonelline, chenopodine; Steroids like hydroxyecdysone and polygodine B		Digestive, anthelmintic, laxative
	Butea monosperma (Dhak)	Bark, leaves, seeds and gum	Kinotannic and gallic acid, mucilage, resin	Lukol (Himalaya Herbs) for leucorrhoea; J.P. Nikhar oil (Jamuna Pharma, Bhopal) as a contraceptive	Aphrodisiac, anthelmintic, contraceptive
	Azadirachta indica (Neem)	Root, Bark, Fruits, Seeds, Flower leaves, gum and oil	Bitter principal margosine, catechin, gum, tannin, nimbin, quercetin	Gludibit (Lupin herbal) for Diabetes mellitus; Liv 52, Blood purifier capsules (Himalaya herbs); Neemka tail (Baidyanath Company)	Digestive, antidiabetic

STANDARDIZATION OF HERBAL DRUGS

Sharma Ajay K, *et al.*

				(Aimil Pharmaceuticals) a blood purifier, Syrup fever end (Chirayu, Bhopal), Good care Pharma Pvt. Ltd.)	
	Cocos nucifera (Nariyal)	Flowers, root, fruit, oil, juice and kernel	Carboxylic acid, polyphenols, alkaloids, mannitol, tartaric acid	One of ingredient in preparation known as Bioslim, Evicare (Himalaya Herbals)	Dyspepsia, coolant
	Costus speciosus (Reun)	Root and tuber	Dioscin, prosapogenins, protodioscin, gracillin, costusoside		Aphrodisiac, anthelmintic, antidiabetic
	Embelia ribes (Saybiyanga)	Frits, leaves and root bark	Embolic acid, tannins, alkaloid- christembine, emboside	One of the ingredients of preparation known as Gasex, Diakof, Herbolax and Kof (Himalaya Herbals)	Hepatoprotective
	Tribulus terrestris (Chhota Gokhru)	Whole plant	Glycosides, steroidal saponins and sapogenins	One of the ingredients of preparation known as Bonnisan, Confido, Himplasia, Renalka, Dhatupaustik churak (Baidyanath Company), Sement (Aimil Pharmaceuticals) and capsule (Jay Pranav Ayurvedic Pharmaceuticals)	Aphrodisiac, digestive
	Aristolochia bracteolata (Keramar)	Root and leaves	Aristolochic acid, palmitic, oleic and stearic acid		For inflammation, in dysmenorrhoea
	Aconitum ferox (Bachnag)	Tuberous root	Alkaloids- picroacoinine, aconine, Sterids, flavonoids, saponins, phenolics	One of the ingredients of preparation known as Painkill oil (Jamuna Pharm, Bhopal)	Sauretic, antidiabetic, antipyretic
	Aconitum hetrophyllum (Anis)	Dried tuberous roots	Root contain steroids, terpenids and quaternary alkaloids		Antidiarrhoeal
	Crocus sativus (Keshar)	Dried stigmas, styles	Glucoside, proteins, essential oil, glucoside, essential oil	One of the ingredients of preparation known as Tentex forte (increasing sexual vigour and vitality), Speman forte (increases sperm count) (Himalaya Herbals), P.Nikhar oil (Sage Herbals) and Amyron (Aimil Pharmaceuticals)	Aphrodisiac
Antidiabetics	Allium cepa (Fiyaz)	Bulb and seed	Volatile oil, pheolic acid, amino acids, vanillic acid, citric acid		Aphrodisiac, expectorant
	Momordica charantia (Karela)	Whole plant	Alkaloids, saponin-charantin in fruits and leaves, Momordicin in fruits	Karelapure herbal powder (Himalaya drug Company)	Regulate metabolism
	Ficus benghalensis (Bargad)	Bark, bud, fruits and leaves	Tannins, bengalenoside, flavonoid glycoside, leucocynidin		Improves skin complexion
	Ficus religiosa (Pipal)	Bark, root, fruit and leaves	Tannins, mannose, phenolic glucoside, flacortin	One of the ingredients of preparation known as Kas bati (Baidyanath Company) for cough and cold	Astringent, purgative
Antihyperlipidemics	Gymnema sylvestre (Gudmar)	Leaves/whole plant	Bitter and neutral resins, gummescosides I-VII, gypenoside, gymnemic acid	One of the ingredients of preparation known as Gludibit (Lupin Herbal Laboratory), Madhu Meha (Baidyanath Company), Diabecon (Himalaya Herbals), Amree plus (Aimil Pharmaceuticals), Madhudoshanta (Jamuna Pharma)	Purgative
	Stevia rebaudiana	Leaves	Apegenin-4-o-beta-d-glucoside, stevioside	Stevier (ASR Herbals, Bangalore)	
	Curcuma amara (Amahaldi)	Rhizome	Essential oil, resin		Antiinflammatory
	Curcuma longa (Haldi)	Rhizomes and tubers	Essential oil, resin, alkaloid- curcumin	One of the ingredients of preparation known as Respinova (Lupin Herbal Laboratory) cough remedy, Diabecon, Puriat (Himalaya Herbals), P.Nikhar antiferility oil and J.P. Kasanta (Jamuna Pharma, Bhopal)	Antiinflammatory
Anthypertensives	Garcinia cambogia (Bitter kola)	Dried fruits	Resin (gambogic acid), hydroxycitric acid, biflavonoids, xanthones and benzophenone	Bioslim (Sunova Pharma Pvt. Ltd)	Reduction in weight and increases lifespan
	Garcinia indica (Dikanali)	Seeds, fruit, bark and young leaves	Garcinol, hydroxycitric acid	Bioslim (Sunova Pharma Pvt. Ltd)	Antilulcer
	Rauwolfia serpentina (Sarpagandha)	Roots and rhizomes	Indole alkaloids- reserpine, serpentine, azmalicine, yohimbine	One of the ingredients of preparation known as Confido, Lukol, Serpin (Himalaya Drug Company), Sarpagandhagan bati (Baidyanath Company)	Anthelmintic
Antiinflammatory drugs	Camella sinensis (Say)	Leaves	Carotenoids, vitamins, xanthones	Oral Preparation Nimah	Antiinflammatory
	Glycyrrhiza glabra (Mulethi)	Peeled root	Saponin glycoside, glycyrrhizin, asparagin, glycyrrhetic acid	Ysasti madhu (Zandu Pharmaceuticals), Herboleex, Koflet, Regu (Himalaya Herbals), Eladi bati (Baidyanath Company), Jeevani mail (Chirayu Pharma, Bhopal), Sage fairness lotion (Sage Herbals), Madhu Cough syrup (Lulison Pharma), Adhumehari (Baidyanath Company)	Antilulcer, diuretic
	Cyperus rotundus (Nagarmotha)	Tuber	Essential oil, carbohydrates	Diarex, Himplagin and Abana (Himalaya Herbals), J.P. Massaj oil, J.Nikhar oil, Pain kill oil, J.P. Liver syrup (Jamuna Pharma), Fever end syrup (Chirayu Company), Hempushpa (Rajvaidya Shital Prasad and sons)	Remedy for fever
Antileprotics	Pterocarpus marsupium (Miyasar)	Heart wood, leaves, flowers and fruit	l-epicatechin, tannins, kintannic acid	One of the ingredients of preparation known as Gludibit (Lupin Herbal Laboratory), Diabecon (Himalaya Drug Company)	Antidiabetic, anthelmintic
Antilithiatics	Bergenia ligulata (Bashanbheda)	Rhizomes	Bergenin, catechin-3-gallate	Cystone and Nephrolin (Himalay Drug Company)	Dissolving kidney stones
	Cissampelos panchuloba (Padha)	Root, bark and leaves	Cissampelline, pilosine		Antilithiatic, antidiarrhoeal, antileprotic, antipyretic
Antimalarials	Crataeva nurvua (Aruna)	Bark, leaves and root bark	Saponin, lupeol, Flavonoids	One of the ingredients of preparation known as Renalka, Purian and Himplasia (Himalayan Herbals)	Antirheumatic, anthelmintic, antidiarrhoeal
	Artemisia annua	Leaves, Flowers and seeds	Artemisinin, abrotamine	E-Mail (Arteether injectable), Omis Medicare Ltd, Falcigo, Malither	Antiseptic, digestive, febrifuge
Antipyretics	Capsicum annuum (Jal Mirch)	Fruits	Phenolic compounds, capsaicinoids, flavonoids, castenoids	Deepact (Lupin Herbal Laboratory), a topical anti-rheumatic cream (Capsigyl-D (Shalaks)	Improves blood flow
	Averrhoa carambola (Kamarakh)	Leaves and fruits	Quercetin, rutin, lupeol		Antidiarrhoeal, anthelmintic
	Cedrus deodara (Deodar)	Leaves and heart wood	Aloe- resin as kelankatel	One of the ingredients of preparation known as Pmensa (Lupin Herbal) for painful relief in premenstrual syndrome (Himalaya gel (Himalaya Herbals)	Antilulcer, GIT disorders
	Alstonia scholaris (Saorna)	Leaves, bark and milky juice	Alkaloids mainly ditaine, echitamine, ditamine, resinous substance		Antilulcer, aphrodisiac, febrifuge

STANDARDIZATION OF HERBAL DRUGS

Sharma Ajay K, *et al.*

	Crinum latifolium (Sudarshan)	Leaves and root	Lycorine and its glucoside, stigmasterol		Antitumor antirheumatic, immunomodulatory
Antirheumatics	Sida cordifolia (Sariyar)	Roots, leaves, stem and seed	Alkaloids, resin, resin acids	One of the ingredients of preparation known as Menosan, Reostoflex forte (Himalaya Drug Company)	Facial paralysis
Antispasmodics	Sida rhombifolia (Sahadai)	Roots, leaves, stem and seed	Ephedrine, quinazolines, phenylethylamines		Rheumatism, Diabetes, laxative
	Cinnamomum cassia (Sa)	Bark and oil	Volatile oil, cinnamic acid, resin, tannin, mannitol	One of the ingredients of preparation known as Diakof, Koflex Abana (Himalaya Drug Company), Shukra Matrika Bala (Baidyanath Company), Madhudoshanta (Jamuna Pharma)	
	Coccinia indica (Kundasu)	Leaves, root, fruit and bark	Alkaloids, lupeol, cycloartenol		Cathartic, antispasmodic, expectorant
Aphrodisiacs	Withania somnifera (Ashwagandha)	Roots and leaves	Steroidal lactones mainly withanolides, alkaloid, flavonoids	Ashwagandha powder (Himalaya Drug Company)	Antioxidant, antitumor antistress and immunomodulatory
	Artocarpus heterophyllus (Kathod)	Fruit, seed, leaves, root and milky latex	Essential amino acids, cycloartenone		Diuretic, laxative
	Dolichos lablab (Sem)	Seeds	Albuminoids, tannin, B. C. and hydrocyanic acid	Ingredients of preparation known as (Aimil Company)	Menstrual pain, Antioxidant, immunomodulatory and antihyperlipidemic
	Gossypium arboreum (Kapas)	Bark, seeds, leaves, flower	Resin, albuminoids, gossypetin, phenols	One of the ingredients of preparation known as J.P. Massaj oil	Antidote, laxative
	Prunus amygdala (Badam)	Kernel, oil	Fixed oil, emulin, amygdallin	One of the ingredients of preparation known as Baidyanath Lal Tail (Baidyanath Company), Himcolin gel, Mentatex Royal (Himalaya Drug Company), Sage badam roghan (Sage Herbals)	For sexual debility
	Psoralea corylifolia (Bavaci)	Fruits	Psoralen, isopsoralen, cryllofolin, psoralidin	One of the ingredients of preparation known as Purim, Erina (Himalaya Drug Company), Purodii (Aimil) Sage somaraji oil (Sage herbals)	Treatment of leucoderma
	Shorea robusta (Sal)	Bark, leaves, fruit and resin	2-(2-iminoacetic acid)-3-(2H)-benzo-furanone, tannin, amino acids	One of the ingredients of preparation known as Ambimax (Maharishi) (curved)	Antidiarrhoeal, anthelmintic
	Adenanthera pavonina (Baragunchi)	Bark, leaves, seeds, and heart wood	Steroids, polysaccharides		Rheumatoid arthritis
	Cannabis sativa (Bhang)	Flower, leaves and seeds	Volatile oil, alkaloids, resin and terpenes	One of the ingredients of preparation known as Bilwadi churna (Himalaya Herbals)	Rheumatism, analgesic
Astringent	Acacia arabica (Babul)	Bark, leaves seeds	Gum, tannins	One of the ingredients of preparation known as Evicare (Himalaya Drug Company) as utrine tonic	
	Areca catechu (Supari)	Seeds, root, tuber	Tannins, catechin, gallic acid, alkaloids, glucoside		In treatment of oral infection
	Acacia concinna	Fruits	Tannins, catechin, gallic acid, alkaloids, glucoside	One of the ingredients of preparation known as Amla and Shikaki Shampoo (Pur), Satritiha (Denaji) Protein Shampoo (Himalaya Drug Company) for hair growth and removal of dandruff	
	Acacia farnesiana (Mitt Khadir)	Dried flower pods	Benzaldehyde, salicylic acid, essential oil		Leaves in gonorrhoea
	Achyranthes aspera (Katjira)	Herb, leaves, seed and root	Alkaloids, saponins, flavonoids	Chief component of preparation known as Agamarga taila, used for deafness, Cystone (Himalaya Drug Company) for urinary calculi and UTI treatment	Laxative, digestive
	Calophyllum inophyllum (Sultan campa)	Bark, leaves, seeds and oil	Volatile oil, Flavones, glucosides		For internal haemorrhages, dysurea, and constipation
	Saraca indica (Ashoka)	Bark, flower and leaves	Tannins, catechol, sterol	Chief component of preparation known as Pmensa (Lupin Herbal), Sokarishita (Baidyanath), Femiplex (Charak Pharma Pvt. Ltd.)	Complex improver
	Cicer arietinum (Chana)	Seeds and leaves	Polysaccharides, saponin, betaine	One of the ingredients of preparation known as Protein shampoo and Amycon (Himalaya Herbal) Aphrodisiac	Mild antilipidemic, Aphrodisiac
Bioavailability Enhancer	Piper cubeba (Kababacivu)	Dried unripe berries	Cubebin, cubebol and cubebic acid	Chief component of preparation known as Slim fast (Slim care Herbal Products)	Carminative, antimicrobial
	Piper longum (Pipal)	Fruit and root	Piperine, piperidine	One of the ingredients of preparation known as Respinova (Aptikid (Lupin Herbal Laboratory), Bonnisam Abana, Digytor (Himalaya Drug Company), K. G. One (Aimil Pharmaceuticals), Piles care, Memoplus syrup and Fever end syrup (Chirayu Company)	Aphrodisiac, antidiabetic, antirheumatic, digestive, purgative
	Piper nigrum (Kalimirch)	Fruit,	Volatile alkaloid piperine, chavicine, limonene	One of the ingredients of preparation known as Diabecon, Gasexa (flex forte) (Himalaya Drug Company), Piles care (Chirayu Company)	Carminative, anthelmintic
Bitter Tonics	Swertia chirata (Chirayata)	Whole plant	Bitter glycosides	One of the ingredients of preparation known as Diabecon (Himalaya Drug Company), Mehmudgar ba (Baidyanath Company), Sabaigo (Aimil Company), P. Liver syrup (Jamuna Pharma), Fever end syrup (Chirayu Company)	Gastric, anti-inflammatory
	Andrographis paniculata (Karyet)	Whole plant	Bitter principles, flavonoids	One of the ingredients of preparation known as Herboheg (Lupin Herbal Laboratory), Jim and Acene-n-pimple cream (Himalaya Herbals), Sagdiverex (Sage Herbals)	Gastroprotective, Antulcerogenic
	Picrorhiza kurrur (Kutki)	Dried rhizomes	Glucosides, bitter principle –kutkan, kutkin sterol	One of the ingredients of preparation known as Herboheg (Lupin Herbal Laboratory), Jim (Himalaya Drug Company), Madhumehari (Baidyanath Company), Piles care (Chirayu Company)	Anti-inflammatory, anthelmintic

STANDARDIZATION OF HERBAL DRUGS

Sharma Ajay K, *et al.*

Brain tonics	Bacopa monnieri (Brahmi)	Whole plant	Alkaloids, brahmine, betulic acid, saponins, hersa	One of the ingredients of preparation known as Iqmen (Lupin Herbal Laboratory)	Astringent
	Centella asiatica (Brahmmanduki)	Whole plant	Glycoside-brahmoside, triterpic acid, brahmlic acid	One of the ingredients of preparation known as Iqmen (Lupin Herbal Laboratory)	Cardiotonic, sedative
Diuretics	Cucumis melo (Kharbuja)	Root, pulp, seed	Isomultiflorenol, cycloartenol, lupeol	One of the ingredients of preparation known as Thanda (Haldipharma) used for diuretic and purgative action	Aphrodisiac, purgative
	Dolichos biflorus (Kulti)	Seeds	Albuminoids, rich in urease, starch	One of the ingredients of preparation known as Neeri syrup (Amil Pharmaceuticals)	Remedy for flatulence
	Raphanus sativus (Muli)	Leaves, root, and seeds	Raphamin, glycosinulates, arabinogalactin		Laxative
	Setania italica (Kanguni)	Stalks and grains	Folic acid, nicotinic acid, proteins, betainealdehyde dehydrogenase		Astringent, source of proteins and vitamins
	Liquidamber orientalis (Silaras)	Balsam	Balsamic acid, cinnamic acid, storesinol		For bronchitis, diarrhea, inflammation
	Cebia pentandra (Saphed simal)	Root and bark	Carbohydrates, lignin, sesquiterpenes		Antipyretic, hepatoprotective
	Cucurbita maxima (Kaddu)	Fruits and seed	Linolenic acid, glycolipoids, proteins	One of the ingredients of preparation known as Roghan Kad (Hamdard)	Sedative
Drugs acting on GIT System	Punica granatum (Anar)	Seeds and flower	Apigenin, betulinic acid, ellagic acid, polyphenols	One of the ingredients of preparation known as Diarex (Himalaya Drug Company) for diarrhea complaint, and dysentery (Arichyadi bati (Baidyanath Company))	For chronic bowel complaint, antipyretic, astringent
	Plumbago zeylanica (Citra)	Root	Plumbagin	One of the ingredients of preparation known as J.P. Liver syrup (Jamuna Pharmacy), Mensulate (Chirayu Company), bati (Avaleha (Baidyanath Company))	For flatulence
	Foeniculum vulgare (Saunf)	Whole plant, dried ripe fruits	Volatile oil: methylchavicol, anethole, limonene, o	One of the ingredients of preparation known as Anxocare (Himalaya Herbal Laboratory) (Baidyanath Company), Hajmola and Janum Gunti (Dabur Company)	Carminative, antimicrobial, anthelmintic activity
	Valeriana wallid (Tagar)	Roots	Valepotriates, essential oil, valeriosidat, alkaloids	One of the ingredients of preparation known as Mentat (Anxocare (Himalaya Drug Company)), Saptagun taila (Baidyanath Company)	For anxiety
	Anethum sowe (Somph)	Fruits and whole herb	Volatile and fixed oils, carvone, eugenol	One of the ingredients of preparation known as Bonnisar (Himalaya Drug Company), Vomiteb syrup (Charak Pharma Pvt. Ltd.)	Carminative, Diuretic
	Cinnamomum tamale (Japatt)	Leaves	Essential oils	Trijataka	Carminative
	Coriandrum sativum (Dhania)	Fruits and leaves	Essential oil linalool, borneol	One of the ingredients of preparation known as Bilwadi churma (Baidyanth Company), Sage massaj oil (Sgae herbals)	Carminative
	Pinus longifolia (Dhuprarala)	Wood, oil, resin	Oleoresin, turpentine	One of the ingredients of preparation known as Rumalaya gel and Pain bati (Himalaya Drug Company)	Antiseptic, coolant, stimulant
	Saussurea lappace (Kutha)	Roots	Volatile oil, alkaloids, resin, tannins	One of the ingredients of preparation known as Purim, Septilin syrup (Himalaya Drug Company), Pain Kill Oil (Jamuna Pharma)	Carminative, antiseptic
	Carum carvi (Shia-Jira)	Fruits	Volatile oils, Fixed oil, proteins	Chief component, Urukadya taila (for eczema), Gripe wate (Himalaya Drug Company), Sage baby oil (Sage Herbals)	Carminative, cytoprotective, mild aphrodisiac
	Linum usitatissimum (Alsi)	Flowers, seed and oil	Linolenic acid, lignans, mucilage	One of the ingredients of preparation known as Canisep and Scavon (Himalaya Drug Company)	Constipation, Dysurea, diuretic
	Zingiber officinale (Adrak)	Rhizome	Volatile oil, Sesquiterpenes	Abana, Gasex (Himalaya drug company), Hing Goli (Poddar Company), Hajmola (Dabur), Pileccare, Feverend	Carminative, anthelmintic, anti-inflammatory
	Apium graveolens (Ajamoda)	Roots and seed	Volatile oil, flavonoids, furanocoumarins	One of the ingredients of preparation known as Himcospaz (Himalaya Drug Company)	Carminative, aphrodisiac
	Alpania galanga (Kulanjan)	Rhizome and fruit	Methyl cinnamtae, cineole, pinene	Rumalaya forte (Himalaya Drug Company)	Carminative, Diuretic
	Commiphora myrrha (Harabol)	Gum	Resin, gum	Guggulipid (By CDRI, Lucknow), Yograj guggulu (Baidyanath)	Antihyperlipidemic, anti-inflammatory
	Oroxylum indicum (Sonapatha)	Roots, leaves, fruit and seeds	Flavone colouring matter, xanthin, alkaloids	Mentat (Anxocare (Himalaya Drug Company))	Digestive, anti-inflammatory
	Oxalis corniculata (Amrui)	Whole plant	Oxalic acid, vitexin and isovitexin, glycolipids	One of the constituents of preparation known as Ghruthan (Nagarjuna) for piles and micturition	Diarrhoea, Piles
	Rosa centifolia (Gulab)	Roots, leaves, flowers	Essential oil, quercetin, kamferol	Abana and Ophthacare (Himalay Drug Company)	For improving colour complexion
	Smilax china (Copacini)	Root	Tannins, resin, cinchonin, saponin, flavonoids	Leucomag (Maharishi Ayurved)	Digestive, purgative, aphrodisiac
	Solanum indicum (Barhanta)	Roots	Alkaloids: solanine, solanidine, good source of cortisone and sex hormone	One of the ingredients of preparation known as J.P. Kasanta (Jamuna Pharmacy), Hajmola (Baidyanath Company), Oliv forte syrup (TTK Health care Pvt. Ltd.)	Cardiac debility, poor digestion and sex debility
	Elettaria cardamom (Chhoti elaychi)	Ripe seed, oil of fruits	Fixed oils, essential oil	Koflet, Mentat (Anxocare (Himalaya Drug Company))	Antiflatulent
	Alocasia indica (Mankanda)	Root, stem	Flavonoids, cyanogenetic glycosides, Steroids		Juice of the petioles is used in Otorrhoea in children
	Anomum subulatum (Badi elaychi)	Seed and oil	Essential oil, rich in cineole, glycosides	One of the ingredients of preparation known as Antiwrinkle cream (Himalaya Pharmacy), Memoplus syrup (Chirayu), Sitopaladi churma (Baidyanath Company), Zymnet syrup (Amil Pharma)	Diuretic

STANDARDIZATION OF HERBAL DRUGS

Sharma Ajay K, *et al.*

	Cuminum cyminum (Ajwain)	Fruit, seeds	Resin, mucilage, gum, protein	One of the ingredients of preparation known as Lukol (Himalaya) Hajmola (Dabur) K.G. Tene (Aimil Pharma) 42-tone syrup (Charak Pharma)	Uterine stimulant, aphrodisiac, task enhancer
	Berberis aristata (Daruhaldi)	Fruit, root, bark	Alkaloids berberine, resins	J.P. Nikhar oil (Jamuna Pharma) eye drop (Ozone Ayurvedics)	Antidiarrhoeal, antipyretic, hepatoprotective, purgative
	Tamarindus indica (Amli)	Roots, leaves, Fruit and seeds	Organic acids, tartaric acid, citric acid	Chief component of preparation known as Pankajakashur (Pankaja Kashhuri Herbs Ltd.), Fair & Lovely (Natural Herbs)	Immunomodulatory activity
Drugs used in treatment of Insomnia	Erythrina variegata (Badam)	Bark and leaves	Alkaloids, saponin	Basant Kusumakar (Baidyanath), Vasant Kusumakar (Sastry & Sons)	Antidiabetic, antirheumatic, digestive
Drugs used in treatment of Piles	Euphorbia prostrata (Red caustic weed)	Whole plant	Flavonoids	Thank God Relief Capsules, Thank God, Anytime cream (Panacea Biotech)	
	Pterocarpus santalinus (Lalchandan)	Heratwood	Santalin, desoxysantalin, isoflavone	One of the ingredients of preparation known as J.P. Nikhar oil (Jamuna Pharma) Sandalwood talcum powder	Antipyretic, aphrodisiac
Expectorants	Cinnamomum camphora (Kapur)	Deposits in the oil cells	Terpenoids, bicyclic monoterpene, ketone	One of the ingredients of preparation known as Ophthacare, Pilex, Rumalax (Himalaya Drug Company) Dabur balm (Dabur)	Anticough, antirheumatic
	Ocimum basilicum (Basil)	Whole plant	Essential oil, phenols, carvacol	Sage kuf-kure syrup (Sage Herbs) Ocuf (J.B. Chemicals and Pharmaceuticals), Skin clinic nil (Gulf Biosciences)	
	Ocimum sanctum	Leaves, seed and root	Essential oil	One of the ingredients of preparation known as Abana, Diabecon, Diakof, Kofedon, Pure Herb (Himalaya Drug Company) Tulcare (Aimil Pharmaceuticals) Nylmarks (Nyle Herbs) Qualin (Hamdard) Kofol syrup (Charak Pharma Ltd.)	Anticough
	Datura metel (Datura)	Whole plant, leaves, seeds, root and fruits	Trpane alkaloids: hyoscyamine, hyoscine, atropine	One of the ingredients of preparation known as Jatifaladi Bati, Jatyadi tal (Baidyanath Company) J.P. Massaj oil, Pain kill oil, J.P. Grace oil (Jamuna Pharma)	Antispasmodic, digestive, antileprotic
	Citrus limor (Jambirinu)	Fruit	Citric acid, pectin, carotene, vit.c	One of the ingredients of preparation known as Protein shampoo (Himalaya) Panch Nimba Churna (Zaipa Pharmaceuticals) Afta doux conditioner (Garnier)	Uterine stimulant, anthelmintic
	Citrus medica (Kagaji Nibu)	Rind, Juice and oil	Essential oils	Hingoli (Dabur)	Antioxidant
	Citrus reticulata (Santara)	Fruit	Citric acid, essential oil, flavonoids, carotenoids	Fairness Cream (Forever and Fair & Lovely)	Antioxidant
Galactogogues/Emmenagogues	Asparagus adscendens (Safed musli)	Tubers, rhizome and roots	Asparagin, proteins, saponins	Geriforte (Himalaya) for antistress, Jeevani mal (Chirayu, Bhopal)	Aphrodisiac, demulcent
	Asparagus racemosus (Satavar)	Root and leaves	Saponins: shatavarin, flavonoids, queecetin	K.G. Tene (Aimil Pharma) Menosan, Diabecon, Galactin Abana (Himalaya) Hatupoushtik churna, Rhuma oil, Brahmi rasayan, Mahanarayan tel (Baidyanath), P.Massaj oil, Pain kill oil (Jamuna Pharma) Menoplus, Jeevani mal (Chirayu), Satavari kalp and Satavarex granules (Bhamburda, Bombay)	Antidiarrhoeal
	Boswellia serrata (Salai)	Gum, Resin and oil	Essential oil, resin, tannins, volatile oil	Chief component of preparation known as Deepact (Lupin Herbs) Hallaki (Himalaya and Gulf Company)	Sedative, analgesic
Hepatoprotective	Eclipta alba (Bhangra)	Root, leaves, whole plant	Alkaloids	One of the ingredients of preparation known as Pilex, Abana (Himalaya) Madhudoshantak, J.P. Liver syrup (Jamuna Pharma), Bhingarajasava, Mahabhingraj tail (Baidyanath) Neeleebhringadikaram and Sage liver tonic (Gagae Herbs)	Antidote, Stimulates hair growth
	Boerhavia diffusa (Punarnava)	Whole plant and root	Alkaloid: punarnavine	Chief component of preparation known as Deepact (Lupin Herbs) Abana, Diabecon (Himalaya), Punarnawadi, Guggul (Baidyanath) Mylicure, Sobigol (Aimil Pharma) Pain kill oil, J.P. Liver syrup (Jamuna Pharma) Punarnavarist (Baidyanath)	Stomachic, diuretic, laxative
	Embellica officinalis (Amla)	Dried fruits, seeds, leaves, bark, flowers	Flavonoid c, niacin, embellic acid, pyrogallol tannins	Jeevani mal (Chirayu) Anwala churna	Anaemia, jaundice, dyspepsia
	Phyllanthus amarus (Bhaumila)	Whole plant	Lignans, phyllanthin, flavonoids	Livosin, Liv 52 (Himalaya) Herboheg (Lupin), Chyawanprasa (Dabur)	Antihyperlipidemic, hypoglycemic
Laxative/Purgative	Aloe barbadensis (Sawarpatha)	Dried juice of leaves	Aloectin-B, tannins, anthracene derivative	Aloe vera gel, Forever Brighol gel, Forever lite Nutritional diet (Aloe Jojoba Shampoo) Aloe liquid soap or Shower gel, AL-sun protection cream, Diabecon, Evecare (Himalaya) Mensonorm (Chirayu) Kumari Asava (Baidyanath) as liver tonic and astringent	Burn and wood injury Purgative
	Argemone mexicana (Kanteila)	Seed, fresh root and milky juice	Alkaloids mainly		Sedative and analgesic
	Cassia angustifolia (Banaya)	Leaves	Cathartin, emodin, senna-picrin, chrysophenol	One of the ingredients of preparation known as Constivaq (Lupin Herbs) Otofavaq (Lupin Ltd.)	
	Cassia fistula (Amulthus)	Pulp, root, bark, roots, flowers	Sennosides, A, B, Volatile oil	One of the ingredients of preparation known as Constivaq (Lupin Herbs) Reflex, Purian (Himalaya Drug Company)	Embrifuge and tonic
	Cassia occidentalis (Kasundi)	Leaves, seed and root	Resin, anthracene derivative	One of the ingredients of preparation known as Bonnisan, Geriforte, Herbolax and Liv 52 (Himalaya Herbs)	Hepatoprotective, anthelmintic, aphrodisiac
	Cassia toria (Cakunda)	Seeds	Anthraquinone glycosides, emodin, chrysophenol		
	Operculina turpethus (Nisath)	Dried root, stem, root-bark	Glucoside, starch, turpethin, resin, lignin	Ingredients of preparation known as Herbolax (Himalaya Herbs)	
	Pandanus odoratissimus (Kuvda)	Root, leaves and flowers	Methylether of phenylethylalcohol, linalool	Chief component of preparation known as Keora Water (Dabur)	Treatment of epilepsy

STANDARDIZATION OF HERBAL DRUGS

Sharma Ajay K, *et al.*

Croton tigliu (damalgota)	Seed and oil	Fixed oil containing stearic, palmitic, crotonic acid	Regulax forte (Charak Pharma)	One of the ingredients of preparation known as Abana (Geriforte, Liv 52, Meritrel, Himalaya Herbals), Arjun Ghrita (Arjun churna (Baidyanath), Madhudoshantak (Jamuna Pharma))	Treatment of epilepsy
Terminalia arjuna (Anjan)	Bark	Tannins, arjunoglucosides, phytosterols			
Terminalia belleri (Beheda)	Bark and fruits	Tannins, gallic acid, ellagic acid, chebulagic acid	Sage triphla syrup (Sage Herbals)		Hepatoprotective, antidiabetic
Terminalia chebula (Harara)	Mature and immature fruits	Tannins, ellagic acid, gallic acid, oleoresins		One of the ingredients of preparation known as Constivaq (Lupin herbal) (Aimil Pharma), Abana, Bonnisan, Gariforte, Koflet, Menosan (Himalaya company), Arjitrak churna, triphla churna, tentex forte (Baidyanath)	
Cirullus colocynth (Madrayan)	Fruit, root, pulp	Glucoside mainly colocynthin			Antidiabetic, diuretic
Clitoria ternata (Parajita)	Root, bark, seed and leaves	Tannin, resin, fixed oil			Memory improving, diuretic, laxative
Cymbopogon citratus (Sandhatrin)	Essential oil and herb	Volatile oil, flavones, limonene, citral	Chief component Sage liorbalm (Sage Herbals)		
Cynodon dactylon (Dhub)	Whole herb and root stalk	Saponins, tannins, flavonoids, glycosides	Chief component Styplon (Himalaya Drug Company)		Antiviral against vaccinia virus, potent hypoglycemic, hypotensive
Gloriosa superba (Kalihari)	Seeds and tubers	Resins, tannins, alkaloids	Regulin forte (SAS Pharmaceuticals)		Anthelmintic, abortifacient
Plantago ovata (Isabgol)	Seeds	Mucilage, fixed oil, proteins	Preginalax, Naturolax, Fibril		

With tremendous expansion in the use of herbal medicines worldwide, their quality control has been an important concern for both health authorities and the public. It has been widely introduced and accepted by WHO, FDA, British Herbal Medicine Association, Indian Drug Manufacturers' Association and some other official or non official organizations as an strategy for assessment of herbal medicines.

Standardization

Standardization is a method of assuring a minimum level of active ingredients in the extract and is becoming increasingly important as a means of ensuring a consistent supply of high-quality phytopharmaceutical products. It can be defined as the establishment of reproducible pharmaceutical quality by comparing a product with established reference substance and by defining minimum amount of one or several compounds or groups of compounds. In the field of phytomedicines, standardization only applies to extracts. Standards for active ingredients to be used in medicinal products may be found in monographs and/or pharmacopoeias.

Importance of Standardization

It is accepted that concentration or dosages are very important because herbal medicines (in common with conventional medicines) contain biologically active substances that may produce non-trivial side effects when taken in excessive doses. Very low doses, on the other hand, may have no therapeutic value. In practice, plant material is often highly variable, so that a minimum concentration or a concentration range is often used rather than an exact level. An upper limit is necessary with highly active or potentially harmful ingredients, as most plants have a wide therapeutic window. In the case of compounds with a narrow therapeutic window, chemical entities are favoured, as opposed to extracts. These phytodrugs when registered become a medicine that needs to comply with the basic standards required for all drugs. Standardization also allows comparison of the clinical effectiveness,

pharmacological effects and side effects of a series of products (e.g. against a placebo). Standardized products provide more security and increase the level of trust in herbal drugs. At the international level, the WHO has developed a strategy to review traditional medicines. Additionally, the European Scientific Cooperative on Phytotherapy (ESCOP) was established in 1989 to advance the scientific status of phytomedicine and to assist with the harmonization of their regulatory status on European level. ESCOP has already published 60 monographs on the medicinal uses of plant drugs that have been submitted to regulatory authorities across Europe and accepted by the Working Party on Herbal Medicinal Products of the European Agency for the Evaluation of Medicinal Products (EMA) as basis for proposed core-SPCs for European decentralized marketing authorizations. A Pharmacopoeia is a collection of quality standards for medicines and their components. In order to obtain marketing authorization for a medical product, the ingredients or the medicinal product must generally comply with a pharmacopoeial standard. Thus Pharmacopoeial standard may provide guidance on acceptable purity criteria for that ingredient¹¹.

Scientifically validated and technologically standardized botanical medicines will play an important role in future advancement in healthcare. The development of parameters for standardization and quality control of botanicals is a challenging task. Various regulatory authorities, research organizations and botanical drug manufacturers have contributed in developing guiding principles addressing issues related to quality, safety and efficacy^{6, 17}.

World Health Organization (WHO) on Botanicals

WHO has tried to establish internationally recognizable regulatory guidelines to define basic criteria for the evaluation of quality, safety and efficacy of botanical medicines. WHO assists national regulatory authorities, scientific organizations and manufacturers to undertake an assessment of the documentation/submissions/

STANDARDIZATION OF HERBAL DRUGS

dossiers in respect of such products. In 1991, WHO published guidelines for the assessment of herbal medicines. The guidelines also provide details on the preparations of the documentation and data for the assessment of herbal medicines and address the following points:

- Assessment of quality including pharmaceutical assessment, crude plant material, plant preparation, finished products and stability.
- Assessment of safety including toxicological studies and documentation of safety based on experience.
- Assessment of the efficacy including activity, evidence required to indications and combination products.
- Intended use including product information for the consumer and promotion.

The guidelines suggest classification of herbal remedies into two groups; those with well established traditional use and newly developed products. It was recommended that the requirements for assessment of these two groups should be different. As a general rule, traditional experience means long term use, as well as medical, historical and ethnobiological background of the product. Depending on the history of the country, the long-term use may vary but would be of at least several decades¹⁸.

The guidelines suggest that all the necessary approaches should be taken to ensure correct identification of plants. It is noted that when identification of an active principle of herbal medicine is not possible, it should be sufficient to identify a characteristic substance or mixture of substances to ensure consistent quality of herbal medicines. All herbal procedures should be carried out in accordance with Good Manufacturing Practices (GMP). On safety assessment, these guidelines suggest¹⁹:

- All relevant aspects of the safety assessment of a medicinal product should be covered.
- No specific restrictive regulatory action should be undertaken for a traditionally used product without demonstrated harm unless new evidence demands a revised risk-benefit assessment. Documents submitted should provide evidence on long- term use.
- For drugs used over a long period, chronic toxicological risks may have occurred but may not have been recognized.
- If long-term traditional use cannot be documented, or there are doubts on safety, toxicity data should be submitted.
- If any toxicological studies are available, they should form part of the assessment. A review of relevant literature should be provided with original articles or references to the original articles.

Sharma Ajay K, *et al.*

Guidelines for assessing the quality of botanical materials mainly emphasize the need to ensure the quality of medicinal plant products by using modern techniques and applying suitable standards. A series of tests for assessing the quality of medicinal plant materials have been described. Botanical characterization using macroscopic and microscopic methods has been recommended. For physical evaluation, parameters like ash value, extractable matter, volatile matter etc, have been suggested.

Pharmacological evaluation has been recommended for certain norms like bitterness value and haemolytic activity. Detection of pesticidal residue, arsenic and heavy metal content, microbial load and radioactive contaminants has been suggested for safety of the botanical materials (Fig 2).




Fig. 2 : Standardization and quality evaluation of herbal drugs

In 1997, WHO developed draft guidelines for methodology on research and evaluation of traditional medicines. It mainly focuses on current major debates on safety and efficacy of traditional medicine. It also tries to provide answer for some of the challenging questions concerning evidence base of the traditional knowledge of medicine. These guidelines present some national regulations for the evaluation of botanical medicine, and also recommend new approaches for carrying out clinical research. Specific objectives of these guidelines are to harmonize the use of certain accepted and important terms in TM, summarize key issues for developing methodology for research and evaluation of TM, improve the quality and value of research in TM, and to provide appropriate evaluation methods to facilitate the development of regulation and registration in TM²⁰.

Under the overall context of quality of botanical medicines, WHO developed the Guidelines on Good Agricultural and Collection Practices (GACP) for

STANDARDIZATION OF HERBAL DRUGS

medicinal plants. GACP provides general technical guidance on obtaining medicinal plant materials of good quality for the sustainable production of herbal products classified as medicines. The main objectives of these guidelines are to guide the formulation of national and/or regional GACP guidelines and GACP monographs for medicinal plants and related standard operating procedures and to encourage and support the sustainable cultivation and collection of medicinal plants of good quality.

WHO also has published monographs for selected medicinal plants. It will provide models to assist member states in developing their own monographs or formularies for these and other herbal medicines and facilitate information exchange among member states (Fig 3). WHO recognizes the use of traditional herbal health practitioners, pharmacists, manufacturers, research scientists and the general public^{21,22}. In 1969 government of India established a Central Council for Research on Indian Medicine and Homoeopathy [CCRIMH] to develop scientific research on different systems of medicine: Unani, Ayurveda, Siddha, Yoga, Naturopathy and Homoeopathy. Research activities on these systems continued under the CCRIMH until 1978 when it was split into four separate research councils. Central Council for Research in Ayurveda and Siddha Medicines [CCRAS], Central Council for Research in Unani Medicines [CCRUM], Central Council for Research in Homeopathy [CCRH], Central Council for Research in Yoga and Naturopathy [CCRYN]. These central councils have their own research institutes, laboratories and dispensaries throughout India, which work on the development and propagation of the respective system and the development of lead compounds from the traditional systems for major ailments. In 1995, the Department of Indian System of Medicine and Homeopathy (ISM&H) was established by the Government of India under the Ministry of Health and Family Welfare to control all regulations related to traditional systems of medicine. The manufacture, quality control and sale of all Ayurvedic and other ISM medicines are regulated through the Drug and Cosmetic Act 1940 and various regulations have been made by Government of India for the development of herbal medicines. Quality control and research on traditional systems are further regulated by the Department of Indian System of Medicine and Homeopathy (ISM&H). Pharmacopoeial committees have been established and the ISM & H council has established a separate pharmacopoeial laboratory. A separate drug control for traditional systems of medicines have been created by the department of ISM&H. Government initiatives have come up with separate pharmacopoeias and formularies with the monographs on plants and formulations used in these systems of medicines² (Table 2).

Sharma Ajay K, et al.



Fig. 3: More and more countries are regulating Herbal Medicines (Source: WHO Traditional Medicine Strategy 2002–2005, pg-16)

Table 2: Government institutes involved in research and development of traditional systems of medicines in India

Name of the council	Different centres of the council	Research activities
Central Council for Research in Ayurveda and Siddha	6 regional research centres 12 research centres 60 units and dispensaries	Medico-botanical survey and development of Ayurvedic and Siddha medicines based on folklore use and their scientific evaluation and application
Central Council for Research in Unani Medicines	1 central research institute 6 regional research centres 11 clinical research units 5 drug and dispensary units	Developing indigenous and multidimensional research into various fundamental and applied aspects of Unani system of medicine
Central Council for Research in Homeopathy	51 research centres around the country	Screening of homeopathic medicines for treating different ailments and development of standardization parameters
Central Council for Research in Yoga and Naturopathy	Headquarters and central unit at New Delhi, India	Development and propagation of research, yoga and related aspects of yoga and naturopathy
Council for Scientific and Industrial Research and regional laboratories	Regional research laboratory, 10 centres Central drug research institute, Lucknow Central Institute of medicinal and aromatic plants, Lucknow	Cultivation of medicinal plants, quality control and investigation of medicinal plants and pharmacology, including development of agro-biotechnological aspects

Integration of herbal medicine can only be accomplished through scientific research, which must take into account the interrelated issues of quality, efficacy and safety? Quality is a paramount and complex issue when dealing with botanicals. One of the most difficult challenges for any company in the herbal industry is being able to consistently formulate a product, which will deliver the promised physiological effect. One of the most popular practices followed by herbal industry for standardization is to identify and standardize a particular "marker compound" which is believed to be responsible for the physiological effect to an acceptable percentage²³. However, when it comes to the percentage of the markers, different companies have different yardsticks. The percentage of a particular marker for a particular herb varies from product to product in some cases batch to batch from the same company.

A number of intrinsic as well as extrinsic influences which greatly affect botanical quality have been analyzed to date: species differences, organ specificity, diurnal and seasonal variation, environment, field collection and cultivation methods, contamination, substitution, adulteration, and processing and manufacturing practices¹⁰. In order to achieve a quality product consistently one has to address all the above issues.

STANDARDIZATION OF HERBAL DRUGS

Quality Aspects

The importance of quality control and standardization of botanical products is of utmost concern for global acceptability. Purity and quality of botanicals is a critical determinant of safety. The first stage of assuring quality, safety and efficacy of botanical medicines is identification and selection of the correct plant species²⁴. The information required for authentic botanical includes the currently accepted Latin binomial names and synonyms, vernacular names, the parts of plants used for each preparation and detailed instruction for agricultural production and collection conditions according to each country's good agricultural practices. Regulatory authorities for control of raw material have suggested various methods. Most of the guidelines suggest macroscopic and microscopic evaluation and chemical profiling of the botanicals^{18,25,26}. Characterization using sensory parameters like color, taste and surface characteristics are studied in macroscopic evaluation. Size and shape of the plant part used is also taken into consideration. However, these characteristics are judged subjectively and substitutes and adulterants may closely resemble the genuine material, it is often necessary to substantiate the findings by microscopy and/or physicochemical analysis. An examination by microscopy alone cannot always provide complete identification, though when used in association with other analytical methods it can frequently supply supporting evidence¹⁹.

Chemo profiling using HPLC, HPTLC and GC has wide applicability in quality control of herbal medicines. Multi-component botanicals formulations can be standardized by using these sophisticated techniques. Spectroscopic analysis has also been suggested by certain pharmacopoeias for analysis of botanicals. European pharmacopoeia gives assay of quinine type alkaloids and cinchonine type alkaloids in cinchona bark using UV spectroscopy and United States Pharmacopoeia (USP) includes an UV absorption test for the absence of foreign oils in oils of lemon and orange. UV spectroscopic analysis has been used for quantitative and qualitative detection of marker compounds from the herbal material. Infrared spectroscopy; NMR and mass spectroscopy have been used for structure elucidation of marker or active components from plants²⁷.

By nature, botanicals may be highly variable in their chemical composition. The variability in the flavor, aroma, physical characteristics of wine and coffee from year to year and region to region provide a good analogy. There are numerous factors that may affect the ultimate chemical profile of a botanical and the content of a specific marker, including intrinsic factors such as genetic and extrinsic factors such as growing, harvesting, drying and storage conditions.

Sharma Ajay K, *et al.*

The use of chromatographic techniques and marker compound to standardize botanical preparation has its own limitations. Analysis of secondary metabolite is restricted to those plants that produce a suitable range of metabolites which can be easily analyzed and which can distinguish between varieties. Also, the metabolites being used as marker should ideally be neutral to environment effect and management practices²⁸. Establishing the presence of a marker compound in an herb is not sufficient to determine the desired quality, since the marker compound may not necessarily be responsible for the biological activity that is attributed to the whole herb²⁹. In view of these limitations of the currently used methods there is a need for new approaches that can complement or serve as an alternative for the existing methods. Some of the newly emerging techniques for ensuring quality are Herboprint³⁰, capillary electrophoresis and DNA analysis. Herboprint evaluates Ayurvedic medicines on the basis of HPLC fingerprint. The capillary electrophoresis is based upon the simple phenomenon of electrophoresis, which is the movement of electrically charged particles or molecules in a conductive liquid medium under the influence of electric field³¹. DNA based molecular markers have acted as versatile tool in plant genome analysis and are specifically important in differentiating different plant species and their varieties. Being environmentally stable and specific, DNA markers could gain wide popularity in quality control and standardization of medicinal plant materials³².

The quality of finished formulation will depend upon quality of raw material, uniformity of manufacturing processes and standard operating procedures and testing procedures. Proper control over these will ultimately result in quality botanical medicine³³. In India there are 9000 licensed firms manufacturing TMs with or without proper standardization of the botanicals. As there is lack of standard norms for quality production of botanical medicines, the Indian manufacturers generally follow WHO standards. India needs to design its own parameters and standard set of guidelines for quality control of Ayurvedic medicines³⁴.

CONCLUSION

Herbal based traditional medicines as potential source of therapeutic aids have attained a significant position in health systems all over the world for both humans and animals has become popular in developed countries in recent years and its use is likely to be increased in the coming years. More than 70% of threatened medicinal plants of India are used in active trade. Standardization of chemical fingerprinting (TLC, HPLC) towards quality control is another major requirement in developing countries like India. To establish the potential of Ayurvedic medicine, research needs to be conducted on the following aspects^{2, 35}:

STANDARDIZATION OF HERBAL DRUGS

- To standardize materials, methods and measures for preparation, preservation, presentation and administration of Ayurvedic drugs.
- To provide proper scientific validation and significance to the fundamental principles of the system to the extent possible, so that they can be accepted within a scientific framework.
- To rationalize the utility of positive and judicious use of modern scientific methods that pertains to the development of Ayurvedic and traditional medicines.

Although herbal drugs have been used in the Indian system of medicine for last several hundred years, and they are prepared by a procedure prescribed in the Ayurvedic texts, their toxicity/safety must be evaluated on modern lines for universal acceptance.

ACKNOWLEDGEMENT

The Corresponding author expresses his gratitude to Department of Health Research (DHR), Ministry of Health and Family Welfare, Indian Council of Medical Research (ICMR), New Delhi for providing DHR-Fellowship to work in Regional Medical Research Centre, Belgaum, Karnataka, India.

REFERENCES

1. WHO (2001) *Legal Status of Traditional Medicine and Complementary/Alternative Medicine*. World Health Organization, Geneva, Page no. 3.
2. Mukherjee PK, *et al.* Integrated approaches towards drug development from Ayurveda and other Indian system of medicines. *J Ethnopharmacol.* 2006; 103: 25-35.
3. Warude D, *et al.* Botanicals: Quality and regulatory issues, *JSIR.* 2005; 64: 83-92.
4. Zhen GW, *et al.* Current status and future directions of traditional Chinese medicine, *Trends Pharmacol Sci.* 2002; 23: 347.
5. Bodekar G, *et al.* A public health agenda for complimentary, alternative and traditional (indigenous) medicine. *Am J Public Health.* 2002; 92: 1582-1591.
6. Singh J, *et al.* Medicinal plants: India's opportunities. *Pharma Bio World.* 2003; 1: 59-66.
7. Patwardhan B, *et al.* Herbal remedies and the bias against Ayurveda. *Curr Sci.* 2003; 84:1165-1166.
8. Straus SE, *et al.* Herbal Medicines-What's in the Bottle? *N Engl J Med.* 2002; 347: 1997-1998.
9. Drew AK, *et al.* Safety issues in herbal medicine: implications for the health professions. *Med J Australia.* 1997; 166: 538-541.
10. Khan IA, *et al.* Issues related to botanicals. *Life Sci.* 2006; 78: 2033-2038.
11. Gurib-Fakim A. Medicinal plants: traditions of yesterday and drugs of tomorrow. *Mol Aspects Med.* 2006; 27: 1-93.
12. Eisenberg DM, *et al.* Trends in alternative medicine use in the United States, 1990-1997: results of a follow-up national survey. *J Am Med Assoc.* 1998; 80: 1569-1575.
13. Dev S. Current science ethnotherapeutics and modern drug development. *The Potential of Ayurveda.* 1997; 73: 909-928.
14. Dev S. Ancient modern concordance in ayurvedic plants: some examples. *EHP.* 1999; 107: 783-789.
15. Cragg G, *et al.* Biodiversity: a continuing source or novel drug leads. *Pure Appl. Chem.* 2005; 77: 7-24.
16. Agrawal SS, Tamrakar BP, Paridhavi M. *Clinically Useful Herbal Drugs*, 1ST eds. Delhi: Ahuja Publishing House, 2005, p1-319.
17. Bhutani KK, Strategies for R&D in natural products for the new millennium. *JPAS.* 2000; 2: 91-98.
18. WHO, Quality assurance of pharmaceuticals: A compendium of guidelines and related materials. World Health Organization, Geneva, 1997.
19. WHO, Quality Control Guidelines for Medicinal Plant Materials. World Health Organization, Geneva, 1998.
20. WHO, General guidelines for methodologies on research and evaluation of traditional medicine. World Health Organization, Geneva, 2000.
21. WHO, Guidelines on good agricultural practices (GACP) for medicinal plants. World Health Organization, Geneva, 2003.
22. WHO, Traditional Medicine Strategy 2002-2005. World Health Organization, Geneva, 2002.
23. Cardellina JH. Challenges and opportunities confronting the botanical dietary supplement industry. *J Nat Prod.* 2002; 65:1073-1084.
24. Peter AGM, *et al.* Herbal Remedies. *N Engl J Med.* 2002; 347: 2046-2056.
25. USFDA, (U.S. Department of Health and Human services, Food and Drug Administration Draft guidance for industry on botanical drug products, (U.S. Department of Health and Human services, Food and Drug Administration and Center of Drug Evaluation and Research, 2000. (<http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/ucm070491.pdf>).

Sharma Ajay K, *et al.*

STANDARDIZATION OF HERBAL DRUGS

26. EMEA, Guidance on Herbal Products The European Agency for the Evaluation of Medicinal Products, London, 2001. (www.emea.eu.int/pdfs/human/qwp/281900en.pdf).
27. Trease GE, *et al.* Pharmacognosy. Saunders Elsevier, 15th Edn. 2002, p102.
28. Joshi K, *et al.* Molecular markers in herbal drug technology. Curr Sci. 2004; 87: 159-165.
29. Narayana DBA, *et al.* Herbal remedies: Through GMP/HACCCP techniques. Eastern Pharm. 1997; 9: 21-27.
30. Kumar DV, *et al.* Novel chromatographic fingerprinting method for standardization of single medicines and formulations. WO 0246739-EP2 0000991 991-263397CSIR G01N30-88, 2002.
31. Frazier RA. Capillary electrophoresis for food analysis Method development. The Royal Society of Chemistry, UK. 2000, p1-20.
32. Lalita SK. DNA markers in plant improvement: An overview. Biotechnol Adv. 1999; 17: 143-182.
33. Raina MK. Quality control of herbal and herbo-mineral formulations. Ind J Nat Prod. 2003; 19: 11-15.
34. Dubey NK, *et al.* Global promotion of herbal medicine: India's opportunity. Curr Sci. 2004; 86: 37-41.
35. Ramawat KG. Merillon JM. Bioactive Molecules and Medicinal Plants, Heidelberg: Springer-Verlag Berlin, 2008, p 343.

Sharma Ajay K, *et al.*